Response to Quayle Office Action dated August 11, 2004 Page 7 of 15

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A method for generating an ETT of an EPG, the method comprising:

inserting an event_id in a table_id_extension of each ETT section header, wherein the event_id identifies an event to which an ETT section corresponds.

- 2. (Currently Amended) A The method of claim 1, wherein the table_id_extension is composed of 16 bits.
- 3. (Currently Amended) A <u>The</u> method of claim 2, wherein 14 bits of the 16 bits represents the event_id.
- 4. (Currently Amended) A The method of claim 3, wherein one of two bits of the table_id_extension not used for the event_id represents an ETM_location value to distinguish whether an ETT section is transmitted from a same channel as a corresponding EIT.
- 5. (Currently Amended) A <u>The method of claim 3</u>, wherein one of two bits of the table_id_extension not used for the event_id

Appl. No. 09/760,840

Docket No. 0465-0792P

Response to Quayle Office Action dated August 11, 2004 Page 8 of 15

represents a value to distinguish whether detailed information included in an ETT section is for channels or for events.

- 6. (Currently Amended) A The method of claim 1, further comprising inserting an ETM_location value in the table_id_extension to distinguish whether an ETT section is transmitted from the same channel as EIT.
- 7. (Currently Amended) A The method of claim 1, further comprising inserting a value in the table_id_extension to distinguish whether detailed information in an ETT section is for channels or for events.
- 8. (Currently Amended) A method of processing ETTs, the method comprising:

setting an ETT section filter;

detecting the ETT section-outs;

section filtering and detecting at least one pertinent ETT
section using an event_id value in a table_id_extension of ETT
sections;

parsing the detected at least one ETT section; and storing each parsed ETT section as a text message.

Appl. No. 09/760,840 Docket No. 0465-0792P

Response to Quayle Office Action dated August 11, 2004 Page 9 of 15

- 9. (Currently Amended) A The method of claim 8, wherein the table_id_extension is composed of 16 bits.
- 10. (Currently Amended) A The method of claim 9, wherein 14 bits of the 16 bits represent the event_id.
- 11. (Currently Amended) A method for identifying ETTs of an EPG, the method comprising:

inserting an event_id in a table_id_extension of each of ETT sections before transmitting the ETT sections to a receiver; and

section filtering, at the receiver, the received ETT sections based upon the event_id to identify an ETT section.

12. (Currently Amended) A <u>The method of claim 11</u>, wherein <u>said identifying an ETT section comprises:</u>

setting an ETT section filter;

detecting ETT section-outs;

section filtering and detecting at least one pertinent ETT section using the event_id in the table_id_extension of each ETT sections;

parsing the detected at least one ETT section; and

Appl. No. 09/760,840 Docket No. 0465-0792P

Response to Quayle Office Action dated August 11, 2004 Page 10 of 15

storing each parsed ETT section as a text message.

- 13. (Currently Amended) A The method of claim 11, wherein the table id extension is composed of 16 bits.
- 14. (Currently Amended) A The method of claim 13, wherein 14 bits of the 16 bits represente the event_id.
- 15. (Currently Amended) A The method of claim 14, wherein one of two bits of the table_id_extension not used for the event_id represents an ETM_location value to distinguish whether an ETT section is transmitted from a same channel as a corresponding EIT.
- of two bits of the table_id_extension not used for the event_id represents a value to distinguish whether detailed information included in an ETT section is for channels or for events.
- 17. (Currently Amended) A The method of claim 11, further comprising inserting an ETM_location value in the table_id_extension to distinguish whether an ETT section is transmitted from the same channel as EIT.

Appl. No. 09/760,840 Docket No. 0465-0792P

Response to Quayle Office Action dated August 11, 2004 Page 11 of 15

- 18. (Currently Amended) A The method of claim 11, further comprising inserting a value in the table_id_extension to distinguish whether detailed information in an ETT section is for channels or for events.
 - 19. (Currently Amended) A The method of claim 11, wherein the filtering step includes filtering and receiving, at the receiver, ETT sections with values corresponding to a specific version.